amazon relay ELD

relay.amazon.com

amazon relay ≡		Logi > Unassigned drive time					P frequently Asked Questions
ABC Trucking Company	U	nassigned drive	e time				
Dashboard							
Your Trips						Status All	View Last seven days
Load board							
Driver Roster	-	Date 🚛	Vehicle	Duration	Distance	Status	12:34 7
Contracts	5	Saturday Oct 1 6:45am CST	123456	2 min 23 sec	0.6 mi	(Needs attention	< Relay ELD
Performance							Carrent status: On Duty Not Driving
hyments	×	Saturday Oct 1 6:58am CST	123456	1 min 12 sec	0.6 mi	🧧 Pending ditver approval	(0FF) (05) (5B)
Carrier Account 🛛 🗸 🗸							Di Dary DarDaty Stepper Bar
aldo 🔨	>	Saturday Oct 1 7:23am CST	123456	2 min 15 sec	0.6 mi	Needs attention	Tacky: September 11 @ Centry
Werts							00:00
65 Logi	*	Saturday Oct 1 6:58am CST	123456	1 min 12 sec	0.6 mi	Pending driver approval	francisco fran
WR		Location: MSP 1 → MSP 1					07.55
7							(23:55) (00
			111				₩ View last 7 days
							荷 Vehicle inspection
		_					O Roadside inspection
							🕒 ELD Manusi
							Log Out Of ELD


Integrated ELD Compliance for Amazon Relay.

- Intelligent
- Simplified
- Seamless




Always LOG-IN to AMAZON RELAY at the beginning of your shift.

LOGIN




CONNECTING TO A TRUCK



	C Bluetooth connection
	Connect to a vehicle
	Searching for vehicles
	Can't find youicle in this list?
•	

2) An ELD malfunction is indicated by a "M" in the header with magenta background.





What should a driver do if the FLD displays a diagnostic or malfunction Indicator? When a diagnostic is indicated, continue operating with the ELD as normal but monitor for a clearing of the diagnostic or indication of a malfunction. When a malfunction is indicated, reconstruct paper records of duty status (RODS) for the current 24-hour period and the previous 7 days. Continue to use

paper


RODS until the ELD malfunction has cleared.


CHANGE DUTY STATUS





EDIT DUTY STATUS






Change d	uty status
	M PC
Driving Yard	Move Personal Conveyance
Forgot to go on-duty	\$
521296	
Ship Doc (VRID)	
V700200	
5mi SE TN Bartlett	
I am changing my du	ty status yay!
Sut	omit

0


Done

VIEW LAST 7 DAYS LOGS



C Relay ELD	
🛗 View last 7 days	-
Monday July 11	>
Sunday July 10	>
Saturday July 9	>
Friday July 8	>
Thursday July 7	>
Wednesday July 6	>
Tuesday July 5	>
B Vehicle inspection	>
O Roadside inspection	>
ELD Manual	>

VEHICLE INSPECTION



Powered Equipment	
Tractor	>
Box Truck	>
Hostler	>
Pickup	>
Non-Powered Equipment	
Trailer	>
Intermodal	>

Select Vehicle

VEHIC	C Enter Vehicle Info	
LE INSPE	Tractor	
CTION	EXAMPLE123	
	State or Province	
	Indiana	
	Submit	

〈 Vehicle in:	spection
Tractor - 52119	9
Pre-Trip DVIR	\$
Reflectors	>
Starter	>
Steering	>
Suspension	>
Tires	>
Transmission	>
Wheels and Rims	>
Windows	>
Windshield Wipers	>
Other	>
Complet	te DVIR

<

Vehicle inspection

Tractor - 521199 Pre-Trip DVIR




Sign Inspection Report



Clear signature


Submit DVIR

ROAD SIDE




Roadside inspection Inspect logs for today and previous 7 days Tap "Begin inspection" and hand your phone to the DOT officer. Begin inspection Send logs for today and previous 7 days Email a copy of your logs if the DOT officer requests a copy. Send logs View your most recent vehicle inspection Tap "View vehicle inspection" if the DOT officer requests to see it. View vehicle inspection

ROAD SIDE




send logs to FMCSA tap "Web Services" or "Email" and add a comment as directed by the law enforcement officer and tap "Submit". You will receive a success or error message within 15 seconds.

ELD MANUAL



,	party for review. Send Logs 1. On the main Relay ELD s 2. Tag on Send Logs. 3. Select the delivery meth 4. Click Submit. View Vehicle Inspection 1. On the main Relay ELD s 2. To begin an inspection, 1 interested party for revi Contact Support		n arrow. ting code if appli n arrow. d over the devic	icable.		
		DSS on the AFP hotline at 1-855-2 n Amazon services and is not available		nution. 5		
ELAY ELD CAB CAR	D					
			72272 1			
amazon relay c	Relay ELD (1999 voice)	1) An BLD diagnostic to industrial by a "O" in the header with sylfac background.		2) An B.D mathumbions indicated by a "M" in the header with magenta background.		
EDReptortion ID FIRS EDitorative AM241	BDRotherion D. RKS BDRotherion Adden BDRotherion Adden		 What should a driver do if the ELD displays a diagnostic or milliunction indicator. When a diagnostic is indicated, continue operating with the ELD encomit that movies for a starting of the diagnostic or indicator of a millionities. 		3) What should the carrier do if the BJD displays a diagonatic or mathunction indicator. When a diagonatic is indicated, continue operating with the BJD annormal tust monitor for a dowling of the diagonatic or indicator of a mathuration.	
Relay BLD Certification Relay BLD complice with BLD reand regularisation distribution (by Pacific 205 Subpart Barbon used as instru-	See An pat delition	When exhibition of the second	sindcated, ands of duty status (24-hour period and Intinue to use paper alfunction has	When a mail and ion driven area using pay oumant 24-hour part days and continue to the BLD-mail and ion the BLD-mail and ion in the BLD-mail and ion in the BLD-mail and ion ion in the BLD-mail and ion ion in the BLD-mail and ion ion ion ion ion ion ion ion ion ion ion	isindicated, ensure or RCDE/or the oriant the previous 7 - unsuppor RCDE/until - has deamat ri, contast CREson the 1,2456-4555	
all force.	# +			APPTICITIEND IN 1-850	-218-6133	
12000, Areason.com, Inc. or Its affiliat		Athermat rothy based thermaters based the matters amazon	De cardier within 24 tion when going to		Your Wetscho for Historiana	
	m 21-05-10	Author mail notify: boars of the mail and page. logs	De cardier within 24 tion when going to		Your Wetscho for Historiana	
ay ELD User Guide: 203	21.05-10 Interfor and Readeds Inspection	Author mail notify: boars of the mail and page. logs	in our for which 24 for when going to		Yaar Wetsche für Hielenene	
In version I HER, kennessen, he or its affinit I HER, kennessen, he or its affinit		Author mail notify: boars of the mail and page. logs	in our for which 24 for when going to	Registies Ode Card en	Annual Annua	
ay ELD User Guide: 202 GECB31 Your control of control based on the control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of control of co	Familier and Poschide/respection eer to vehicle to are Roardide respec- 2) To initiate an imposition tap	Alternational Sector	Mentre utilite M Sinshe general Mentre Dis	Negoths Cab Carl In ¹ et [*] sHOSLogs 2) Tay west	Har Vatacia In Reference Version 11 02	
tay ELD User Guide: 207 CELDEI Vier ment Bit color Station of fay ansan and pit. "Approximation "Approximation"	Instear and Reackie Ingenieur to the statistication Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Description Des			Heppeleolations of a constant est a HORLoop 2) Tang electric talay or engred alays 4) Tang entrue nant to 4) Tang entrue nant to 4) Tang entrue		


DIAGNOSTIC AND MALFUNCTI ON INFO




<	Diagn	ostics a	and M	alfunctio	ons
Ev	ents				۴۵
	No	o ever	nts to	o show	


Always LOG-OUT from AMAZON RELAY at the end of your shift.

LOGOUT






LOGOUT



LOGOUT



Amazon Relay Sign In	
amazon relay	
Sign in with Amazon	
Forgo	ot password?
Email or phone number	
Amazon password	
Show password	
Sign-In	
By signing in or creating an account, yo the Amazon Relay Terms	u agree to
New to Amazon?	
Create a new Amazon acco	unt
© 1996-2022, Amazon.com, Inc. or its affi	liates